

# Product data sheet

## TS 4000 EN 1-6

Overhead door closer with link arm for single leaf doors with a leaf width of up to 1400 mm



### Product features

Closing force with variable adjustment from EN1-6
Can be used for right and left hand doors without conversion
Mechanical latching action which accelerates the door shortly before the closed position
Closing speed can be individually adjusted
Integrated back check, slows down doors that are thrown open forcefully
Visual closing force display for easy control of the setting
All functions can be set from the front (except for latching action)

### Application Areas

Fire and smoke protection doors
Right and left single-action doors
Single-action doors up to 1400 mm leaf width
Door leaf installation hinge side and transom installation opposite hinge side
Door leaf installation on the opposite hinge side possible in parallel arm installation

### Product Data Table

Productname	TS 4000 EN 1-6
Closing force in accordance with EN 1154	Yes, stepless 1 2 3 4 5 6
Leaf width (max.)	1400 mm
Suitability for fire protection doors	Yes
Adjustable closing force	Yes, stepless
Adjustable closing speed	Yes
Adjustable latching action	Yes, via link arm
Integrated back check	Yes, hydraulically adjustable
Position of closing force adjustment	Front
Visual closing force display	Yes
Hold-open device	Optional

### Accessory

#### Product name

Cover cap door closer

### Part

Product name
Link arms TS 4000/2000
Link arm TS 4000/2000 elongated
GEZE TS 4000 Closer